Preserve

App F IX 4

Previous References 192 8 (ml)

File No 96-28

Serial Nos 1-4

Later References

General and Revenue Secretariat.

Serial Nos

Part B for October 28

SUBJECT

Bye Laws framed by the municipal Council Tumkur re Water Supply to Tumkur Town

To, The Deputy Commissioner, Tumkur
No C 320-1/d 27 to 28
Approves of the Bye Laws referred to above

MYSORE PUBLIC WORKS DEPARTMENT
CENTRAL OFFICE.

Dated Bangalore 12 & 13 July 1928

L 297/28
18/7 ml 96-28-1

FROM

JOHN BHORE ESQ AMICE
Chief Engineer of Mysore
Bangalore

To

R Ranga Rao, Esq , B A , B L ,
Secretary to Government, General Departments,
Bangalore

SIR

I have the honor to forward herewith, a copy of D O letter No 356 dated the 22nd June 1928, from the President, Municipal Council, Tumkur, in the matter of giving house connections at Tumkur

2 There is no objection to the proposal, but before this is sanctioned, a set of bye-laws have to be framed and approved by Government

3 The Executive Engineer, Sanitary and Town Planning Division, is in correspondence with the President in this connection

I have the honour to be,
S i r,
Your Most obedient servant,

12 7 28
Chief Engineer of Mysore

Submitted
11 ml/12th
Draft forwarding [illegible] in
[illegible] for
instructions as to what to take necessary
action in the matter is put up for
consideration [illegible] relating to the
[illegible] water in Tumkur town is put up.
[illegible] Government [illegible]
[illegible] President [illegible] house connn
[illegible] Council
[illegible] agreement from
[illegible]

2

D O letter No 356 dated the 22nd June 1928, from the President, Ambur Town Municipality, to the Chief Engineer in Mysore, Bangalore

---

While thanking you for the speedy supply of water to Ambur town, I am to invite your kind attention to the fact that the people are anxious to get their house connections as soon as possible Unless house connections are provided for immediately, I am afraid the upkeep charges cannot be made out I shall feel highly obliged if you will kindly direct the water supply Engineer to arrange for the same

---

"C o p y"

Chief Engineer of Mysore

111/12th

1

£297 (3)

App F III—2]

General and Revenue Secretariat — Mil File No 96 of 1928

Serial No

Give house connections, Chief Engineer may also be consulted

27/7

The Municipal of Dundee sent up certain proposals in regard to the water supply to be carried in the Mund on account of the introduction of water supplies. The proposals were found to be defective and further information called for. They have also to frame rules under Sect 46 (1) - Vide Sect 60 of the Mund Legislation they may be called to do this also in connection of the Water Supply Sect. They may also frame bye-laws under Sect 48 (1) for conservancy & prevention injury to sources & means of water supply & appliances for distribution of water. This they may do later on. The water rate should be fixed early - with the sanction of govt. Meantime steps may be taken to have everything ready for house connection

Mil Secretary

27/7

OFFICE OF THE SECRETARY
20 JULY 1928
No 6864

NOTE—Contn. Sheet

WD 01714—GPB—80,000—18-4-28

Yes
27/7

General and Revenue Secretariat | File No 96 of 192 &

Serial No

Submitted with a draft for approval

23/7/28

25/7

2 Issued

Ref 933 of 29 7 28 To be forwarded for information copy given from the Chief Engr and request him to ask the Mdl to frame rules under Sec 46 (2) the Madras and to arrange to fix the water tax early after obtaining sanction of Govt

Issd 29/7/28

3 Memo no 4093 dated 2 10 28 from the Deputy Commr Trichy District forwarding for sanction the draft Water Supply byelaws framed by the Trichy Mdl

The byelaws have been framed on the lines given in force in the Dowlaiswaram Municipality

A

P W D

The President states that the byelaws have been framed by the Executive Engr Town-planning & Water Drn who is in charge of the water works

No 7) When the Executive Engineer is in charge of the water works, it does not stand to reason, that the

The Mdl will come to be in charge finally.

NOTE—Contn Sheet

WD 01714—GPB—30 000—18-4 28

5

App F III—2]

General and Revenue Secretariat	File No 96 of 192 8
Serial No	
	should be deprived of the power to stop or reduce the supply and to vest the same with the President So the President should be replaced by the "Executive Engr"
	8) The word "President" should be replaced by "Executive Engr"
not necessary the words President & authority occurs	10) As regards the fee proposals were received and the same were returned for want of certain information
not necessary	11 (a) "President" should be replaced by "Executive Engr" 11(b)
Do	13 (a) "President" should be replaced by "Executive Engr"
Do	15) "President" should be replaced by "Executive Engr"
Do	17) The word "municipality" should be replaced by "water supply Deptt"
Do	18) The word "municipality" should be replaced by "Executive Engr"
Do	19 & 20) The words "Present" occurring in the two sections should be replaced by "Executive Engr"
It	~~20(a)(b) The last two items to be looked~~ The other items are in order and the byelaws have been approved with an amendment that the rate may be fixed

NOTE—Contn Sheet

157v

App F III—2]

Revenue and Revenue
Secretariat

2nd File No 96 of 192 8

Serial No	
	at Rs1, and 1 8-0 for house connections Submitted for orders
	6 10 28 [illegible] The Bye laws seem to be all right Some Verbal changes are indicated in the margin of some of the Bye laws
	2nd Munsiff 9/10/28
	All right
	Submitted with a draft for approval
	17 10 28 Approved as Corrected 19/10/28
4	Issued not 3207 dt 29 10 28 to the Municipal Council approving the bye laws with certain modifications

Rec'd 31/10 the D.C's letter forwarding the above bye laws with all bye laws

E 1/11

OFFICE OF THE S C
10 OCT 1928
No [illegible]

NOTE—Contn Sheet

WD 01714 [illegible] 30,000—18-4-28

P F VI Gl]

7

SUBJECT

Diary No of letter replied to L297

General and Revenue Secretariat

(mil)

the 192

Date of issue 27-7-28

Signed by m D 27-7

List of enclosures

Copied by

Examined by

Section mil

File No 96-28

Serial No 21

No L933

Encl. 1

To The Deputy Commr

Tumkur District

Sir.

In continuation of this office no L 6994 dt 5 5 28 requesting you to furnish certain information, in connection with the proposals of the Tumkur Mcl to levy water tax in the municipality, I am directed to forward herewith for information copy of letter no 395 dt 14/7/28 from the Chief Engineer re giving house connections in Tumkur for purposes and to request you

over

WD0325—GPB—80 000—26 27

-6

to ask the Board to frame rules under Sec 46(1) of the Mad Regn and to arrange to fix the water-tax early, after obtaining sanction of Government. I am to add that the Municipality have also to frame byelaws under sec 48(l) of the Mad Regn, for conserving and preventing injury to sources and means of water supply and appliances for distribution of water, which may perhaps be taken on; In the meantime steps may be taken in the meanbme to have everything ready for house connections

I have etc

W 29/7

For General Secy to Govt

83

G.R.S. VI G 34]

9

SUBJECT

Diary No of letter replied to L1570

Section ml

File No 96-28

Serial No 4

General and Revenue Secretariat

(ml)

Proceedings of the Government of His Highness the Maharaja of Mysore

the *192*

Date of issue 27-10-28

Signed by M K S R D

Read—

~~Letter~~ ~~Memo~~ no 4093 dated 2/10/28 from the Deputy Commr Tumkur District forwarding letter no 13 dated 17 9 28 of the Presidt Town mdl Tumkur requesting sanction to the byelaws framed by the mdl regarding the water-supply to the town

~~Order Thereon No~~ 32078/27-10-28

Order passed

The byelaws are approved with certain verbal changes as mentioned in the Secretariat Proceedings of even date (para 6) the words "water rate"

May this be

i Printed ?

ii treated as a standing order ?

iii published in the Gazette English Part 2

iv translated ?

v placed at the disposal of the press ?

vi published in the Gazette Kannada Part ?

indicated therein

to A

10

In the 1st line should be "not agreed" by." after giving

7) The word "Exigencies" Should be changed into "Causes"

10) The words "all encumbrances" Should become changed into be "connections"

13) After the words "laid down before and "VIII of the Act", the word "in chapter" should be inserted The last sentence "such bills etc etc" should come form the 3rd sentence of the byelaws and the 3rd sentence "The Provost may however receive payments etc" Should come last

13(a) The words "Consumption" occurring in the 4th line should be omitted

18) The word "new metre attached" should be "replaced by a new one"

The byelaws ready be got printed, and a dozen copies thereof may sent to this office for reference

List of enclosu

Copied by

Examined by

Sec 19/12/18

For General Secy to Govt

WD 1868—GPB—1 000 00—21 12-28

Dy Commr Inverness with a copy of the Standard byelaws. 5/1/19

Proceedings of the Government of His Highness
the Maharaja of Mysore

Read -

Memo No 4093 dated 2nd October 1928 from the Deputy Commissioner, Tumkur District forwarding letter No 132 dated 17th September 1928 of the President, Town Municipal Council, Tumkur requesting sanction to the bye-laws framed by the Municipal Council regarding the water supply to the town

---

Order No L 3207/aml 96-28-4

Dated, Bangalore, the 27th October 1928

The bye-laws proposed are approved with certain verbal changes as ~~dim~~ indicated therein

For General Secretary to Govt

To

The Deputy Commissioner, Tumkur District with a copy of the sanctioned bye-laws

mk 2